



Material Safety Data Sheet

No-Burn[®] Plus Mih

I. PRODUCT IDENTIFICATION

DISTRIBUTOR NO-BURN[®], INC. 1392 HIGH STREET SUITE 211
WADSWORTH, OHIO 44281

PHONE NUMBERS 330-336-1500 or 800-989-8577

PRODUCT CLASS Fire Retardant Paint

SHIPPING NAMES No-Burn[®] Plus Mih

PIN # Not Applicable

NFPCA-HMIS RATINGS	HEALTH:	1
	FLAMMABILITY:	1
	REACTIVITY:	0

II. HAZARDOUS INGREDIENTS

COMPONENT	CAS. NO.	LD50 SPEC	LC50 SPEC	%WT/WT
- Triamino-s-triazine	108-78-01	N/Av	N/Av	<10%
- Other Materials	Not Regulated	-	-	>42%
- Trade Secret per CFR 1910.1200				

III. PHYSICAL DATA

SPECIFIC GRAVITY	1.25	% VOLATILE BY VOL	38%
BOILING POINT	212F	EVAPORATION RATE	N/A
pH	7-8	VAPOR PRESSURE	N/A
PHYSICAL STATS	LIQUID	VAPOR DENSITY	N/A
FREEZING POINT	32F	ODOUR THRESHOLD	N/A
COEF. OF WATER/OIL DISTR	N/A		

APPEARANCE OPAQUE, SLIGHT FREE-FLOWING LIQUID

IV. FIRE AND EXPLOSION INFORMATION

FLASH POINT N/Av **AUTOIGN TEMP** N/Av **LEL/UEL (%)** N/Av

EXTINGUISHING MEDIA Carbon Dioxide, Dry Chemical, Alcohol Foam

CONDITIONS OF FLAMMABILITY Dried solid residue is slightly combustible

SENSITIVITY TO MECHANICAL IMPACT N/Av

SENSITIVITY TO STATIC DISCHARGE N/Av

SPECIAL FIRE FIGHTING HAZARDS Wear positive-pressure SCBA

V. REACTIVITY

INSTABILITY STABLE UNDER NORMAL CONDITIONS

CONDITIONS OF REACTIVITY NO SPECIAL REACTIVITY

INCOMPATIBILITY STRONG OXIDIZERS

DECOMPOSITION CARBON DIOXIDE, CARBON MONOXIDE, AMMONIA

VI. HEALTH HAZARD INFORMATION

EYES/SKIN: Causes irritation. Repeated exposure may cause allergic dermatitis.

INHALATION: Short-term exposure may cause irritation of nose, throat and lungs.

INGESTION: Possible stomach irritation and nausea. No other harmful effects anticipated.

FIRST AID

- **INHALATION:** Remove person to fresh air. If necessary, give artificial respiration or CPR. Get medical attention if necessary.
- **SKIN CONTACT:** Wash skin with soap and water. Launder clothing before reuse. Get medical attention if necessary.
- **EYE CONTACT:** Immediately flush with gentle stream of tepid water for 15 minutes. Get medical attention if necessary.
- **INGESTION:** Do not induce vomiting. Keep warm and at rest. Give 2-3 glasses of water or milk. Get medical attention if necessary.

VII. SPECIAL PROTECTION INFORMATION

EYE/FACE PROTECTION: Wear goggles to avoid overspray and splashing. Eye and face protection should be in accordance with OSHA 29 CFR 1910.133.

RESPIRATORY PROTECTION: If sprayed, wear a mask approved by NIOSH/MSH for organic vapors with dust/mist pre-filter. If used in a confined area, a full-face, positive-pressure airline respirator is recommended.

VIII. DISPOSAL/PREVENTATIVE INFORMATION

PRECAUTIONS TO BE TAKEN DURING HANDLING AND STORAGE

Avoid breathing vapors, avoid prolonged skin contact

Store in cool, dry location away from light and strong frost

Storage Temperature Maximum: 90°F Minimum: 40°F

ENGINEERING CONTROLS Use local exhaust ventilation if sprayed inside. Otherwise, general ventilation is adequate.

WASTE DISPOSAL Plastic pails are recyclable. Rinse well before recycling or disposal. Contact local authorities for further information.

IX. DOCUMENT INFORMATION

PREPARED BY Keith Kastendieck, Safety Compliance Director